



Simultaneous bifurcation of limit cycles from a cubic piecewise center with two period annuli

Leonardo P.C. da Cruz, Joan Torregrosa *

Departament de Matemàtiques, Universitat Autònoma de Barcelona, 08193 Bellaterra, Barcelona, Catalonia, Spain

ARTICLE INFO

Article history:

Received 3 July 2017

Available online 11 January 2018

Submitted by Y. Huang

Keywords:

Piecewise vector field

Limit cycles

Simultaneous bifurcation

Zeros of Abelian integrals

ABSTRACT

We study the number of periodic orbits that bifurcate from a cubic polynomial vector field having two period annuli via piecewise perturbations. The cubic planar system $(x', y') = (-y((x-1)^2 + y^2), x((x-1)^2 + y^2))$ has simultaneously a center at the origin and at infinity. We study, up to first order averaging analysis, the bifurcation of periodic orbits from the two period annuli, first separately and second simultaneously. This problem is a generalization of [24] to the piecewise systems class. When the polynomial perturbation has degree n , we prove that the inner and outer Abelian integrals are rational functions and we provide an upper bound for the number of zeros. When the perturbation is cubic, the same degree as the unperturbed vector field, the maximum number of limit cycles, up to first order perturbation, from the inner and outer annuli is 9 and 8, respectively. When the simultaneous bifurcation problem is considered, 12 limit cycles exist. These limit cycles appear in three types of configurations: (9, 3), (6, 6) and (4, 8). In the non-piecewise scenario, only 5 limit cycles were found.

© 2018 Elsevier Inc. All rights reserved.

1. Introduction

The knowledge of the existence of periodic solutions is very important for understanding the dynamics of differential systems. The method of averaging has a long history that starts with the classical works of Lagrange and Laplace who provided an intuitive justification of the mechanism. The first formalization of this procedure was given by Fatou in 1928, see [8]. Nevertheless, Buica and Llibre [1] extended the averaging theory for studying periodic orbits to continuous differential systems using mainly the Brouwer degree theory. Recently, the averaging theory for studying periodic orbits to piecewise differential systems has been developed, see [16,17] for example. Here we use the same approach as [2].

* Corresponding author.

E-mail addresses: leonardo@mat.uab.cat (L.P.C. da Cruz), torre@mat.uab.cat (J. Torregrosa).