## CrossMark

## Generalized Rings Around the McMullen Domain

Antonio Garijo<sup>1</sup> · HyeGyong Jang<sup>2</sup> · Sebastian M. Marotta<sup>3</sup>

Received: 25 June 2018 / Accepted: 6 September 2018 / Published online: 12 September 2018 © Springer Nature Switzerland AG 2018

## Abstract

We consider the family of rational maps given by  $F_{\lambda}(z) = z^n + \lambda/z^d$  where  $n, d \in \mathbb{N}$ with 1/n + 1/d < 1, the variable  $z \in \mathbb{C}$  and the parameter  $\lambda \in \mathbb{C}$ . It is known that when  $n = d \ge 3$  there are infinitely many rings  $S^k$  with  $k \in \mathbb{N}$ , around the McMullen domain. The McMullen domain is a region centered at the origin in the parameter  $\lambda$ plane where the Julia sets of  $F_{\lambda}$  are Cantor sets of simple closed curves. The rings  $S^k$ converge to the boundary of the McMullen domain as  $k \to \infty$  and contain parameter values that lie at the center of Sierpiński holes, i.e., open simply connected subsets of the parameter space for which the Julia sets of  $F_{\lambda}$  are Sierpiński curves. The rings also contain the same number of superstable parameter values, i.e., parameter values for which one of the critical points is periodic and correspond to the centers of the main cardioids of copies of Mandelbrot sets. In this paper we generalize the existence of these rings to the case when 1/n + 1/d < 1 where *n* is not necessarily equal to *d*. The number of Sierpiński holes and superstable parameters on  $S^1$  is  $\tau_1^{n,d} = n - 1$ , and on  $S^k$  for k > 1 is given by  $\tau_k^{n,d} = dn^{k-2}(n-1) - n^{k-1} + 1$ .

Keywords Singularly perturbed rational maps  $\cdot$  McMullen domain  $\cdot$  Baby Mandelbrot sets  $\cdot$  Sierpinski holes

Sebastian M. Marotta smmarotta@gmail.com

Antonio Garijo antonio.garijo@urv.cat

HyeGyong Jang si1974730@star-co.net.kp

- <sup>1</sup> Dep. d'Eng. Informatica i Matematiques, Universitat Rovira i Virgili, Tarragona, Spain
- <sup>2</sup> Faculty of Mathematics, University of Science, Pyongyang, Democratic People's Republic of Korea
- <sup>3</sup> Department of Mathematics, Boston University, Boston, MA, USA